

chain nodes :

15 16 18 19

ring nodes :

1 2 3 4 5 6 7 8 9 10 11 12 13 14 23 24 25 26 27 28 29  
30 31 32

ring/chain nodes :

20

chain bonds :

1-13 15-16 18-19 19-20

ring bonds :

1-2 1-5 2-3 3-4 4-5 4-6 5-8 6-7 7-8 9-10 9-14 10-11 11-12  
12-13 13-14 23-24 23-27 24-25 25-26 26-27 28-29 28-32 29-30  
30-31 31-32

exact/norm bonds :

1-2 1-5 2-3 3-4 4-5 4-6 5-8 6-7 7-8 15-16 19-20 23-24 23-27  
24-25 25-26 26-27 28-29 28-32 29-30 30-31 31-32

exact bonds :

1-13 18-19

normalized bonds :

9-10 9-14 10-11 11-12 12-13 13-14

isolated ring systems :

containing 1 :

G1:[\*1],[\*2],[\*3]

Match level :

1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom  
10:Atom 11:Atom 12:Atom 13:Atom 14:Atom 15:CLASS 16:CLASS 17:CLASS  
18:CLASS 19:CLASS 20:CLASS 23:Atom 24:Atom 25:Atom 26:Atom 27:Atom  
28:Atom 29:Atom 30:Atom 31:Atom 32:Atom

10/088369

=> sl1

SL1 IS NOT A RECOGNIZED COMMAND

The previous command name entered was not recognized by the system.

For a list of commands available to you in the current file, enter

"HELP COMMANDS" at an arrow prompt (=>).

=> s l1

SAMPLE SEARCH INITIATED 17:34:09 FILE 'REGISTRY'

SAMPLE SCREEN SEARCH COMPLETED - 39 TO ITERATE

100.0% PROCESSED 39 ITERATIONS

8 ANSWERS

SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE \*\*COMPLETE\*\*

BATCH \*\*COMPLETE\*\*

PROJECTED ITERATIONS: 406 TO 1154


PROJECTED ANSWERS: 8 TO 329

L2 8 SEA SSS SAM L1

=> d l2 1-8

10/088369


L2 ANSWER 1 OF 8 REGISTRY COPYRIGHT 2005 ACS on STN  
 RN 330679-26-0 REGISTRY  
 CN Benzenemethanamine, 2-chloro-N-[3-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)propyl]- (9CI) (CA INDEX NAME)  
 FS 3D CONCORD  
 MF C21 H19 Cl N2 O2 S  
 SR CA  
 LC STN Files: CA, CAPLUS  
 DT.CA Caplus document type: Patent  
 RL.P Roles from patents: BIOL (Biological study); PREP (Preparation);  
 USES  
 (Uses)



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1907 TO DATE)  
 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)


L2 ANSWER 2 OF 8 REGISTRY COPYRIGHT 2005 ACS on STN  
 RN 330679-21-5 REGISTRY  
 CN Thieno[2,3-d]isoxazole, 3-[3-[2-(hexahydro-1(2H)-azocinyl)ethoxy]phenyl]- (9CI) (CA INDEX NAME)  
 FS 3D CONCORD  
 MF C20 H24 N2 O2 S  
 SR CA  
 LC STN Files: CA, CAPLUS  
 DT.CA Caplus document type: Patent  
 RL.P Roles from patents: BIOL (Biological study); PREP (Preparation);  
 USES  
 (Uses)



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1907 TO DATE)  
 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 3 OF 8 REGISTRY COPYRIGHT 2005 ACS on STN  
 RN 330679-11-3 REGISTRY  
 CN Benzenemethanamine, N-[2-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)ethyl]-4-(trifluoromethyl)- (9CI) (CA INDEX NAME)  
 FS 3D CONCORD  
 MF C21 H17 F3 N2 O2 S  
 SR CA  
 LC STN Files: CA, CAPLUS  
 DT.CA Caplus document type: Patent  
 RL.P Roles from patents: BIOL (Biological study); PREP (Preparation);  
 USES  
 (Uses)




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1907 TO DATE)  
 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 4 OF 8 REGISTRY COPYRIGHT 2005 ACS on STN  
 RN 330651-00-8 REGISTRY  
 CN ZH-Pyrido[3,4-b]indole-2-ethanol, 1,3,4,9-tetrahydro-a-[(3-thieno[2,3-d]isoxazol-3-ylphenoxy)methyl]-, (eR)- (9CI) (CA INDEX NAME)  
 FS STEREOSEARCH  
 MF C25 H23 N3 O3 S  
 SR CA  
 LC STN Files: CA, CAPLUS  
 DT.CA Caplus document type: Patent  
 RL.P Roles from patents: BIOL (Biological study); PREP (Preparation);  
 USES  
 (Uses)

Absolute stereochemistry.




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1907 TO DATE)  
 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

10/088369

L2 ANSWER 5 OF 8 REGISTRY COPYRIGHT 2005 ACS on STN  
RN 330650-93-6 REGISTRY  
CN Benzonitrile,  
2-[4-[(2S)-2-hydroxy-2-methyl-3-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)propyl]-1-piperazinyl]- (9CI) (CA INDEX NAME)  
FS STEREOSEARCH  
MF C26 H26 N4 O3 S  
SR CA  
LC STN Files: CA, CAPLUS  
DT.CA Caplus document type: Patent  
RL.P Roles from patents: BIOL (Biological study); PREP (Preparation);  
USES  
(Uses)

Absolute stereochemistry.




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1907 TO DATE)  
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 6 OF 8 REGISTRY COPYRIGHT 2005 ACS on STN  
RN 330650-82-3 REGISTRY  
CN 2-Propanol, 2-methyl-1-[(1-naphthalenylmethyl)amino]-3-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)-, (2S)- (9CI) (CA INDEX NAME)  
FS STEREOSEARCH  
MF C26 H24 N2 O3 S  
SR CA  
LC STN Files: CA, CAPLUS  
DT.CA Caplus document type: Patent  
RL.P Roles from patents: BIOL (Biological study); PREP (Preparation);  
USES  
(Uses)

Absolute stereochemistry.




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1907 TO DATE)  
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 7 OF 8 REGISTRY COPYRIGHT 2005 ACS on STN  
RN 330650-34-5 REGISTRY  
CN 2-Propanol, 2-methyl-1-[(4-pyridinylmethyl)amino]-3-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)-, (2R)- (9CI) (CA INDEX NAME)  
FS STEREOSEARCH  
MF C21 H21 N3 O3 S  
SR CA  
LC STN Files: CA, CAPLUS  
DT.CA Caplus document type: Patent  
RL.P Roles from patents: BIOL (Biological study); PREP (Preparation);  
USES  
(Uses)

Absolute stereochemistry.




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1907 TO DATE)  
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 8 OF 8 REGISTRY COPYRIGHT 2005 ACS on STN  
RN 330650-08-3 REGISTRY  
CN 1-Piperazineethanol, 4-(5-methoxy-1H-indazol-3-yl)-α-[(3-thieno[2,3-d]isoxazol-3-ylphenoxy)methyl]-, (αR)- (9CI) (CA INDEX NAME)  
FS STEREOSEARCH  
MF C26 H27 N5 O4 S  
SR CA  
LC STN Files: CA, CAPLUS  
DT.CA Caplus document type: Patent  
RL.P Roles from patents: BIOL (Biological study); PREP (Preparation);  
USES  
(Uses)

Absolute stereochemistry.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1907 TO DATE)  
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

10/088369

=> d his

(FILE 'HOME' ENTERED AT 17:32:49 ON 08 FEB 2005)

FILE 'REGISTRY' ENTERED AT 17:32:54 ON 08 FEB 2005

L1 STRUCTURE UPLOADED

L2 8 S L1

=> s l1 sss full

FULL SEARCH INITIATED 17:34:55 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED - 818 TO ITERATE

100.0% PROCESSED 818 ITERATIONS

211 ANSWERS

SEARCH TIME: 00.00.01

L3 211 SEA SSS FUL L1

=> file caplus

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

177.34

177.55

FILE 'CAPLUS' ENTERED AT 17:35:15 ON 08 FEB 2005

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2005 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 8 Feb 2005 VOL 142 ISS 7

FILE LAST UPDATED: 7 Feb 2005 (20050207/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> s l3

L4 3 L3

=> s l4 1-3 bib abs hitsre

MISSING OPERATOR L4 1-3

The search profile that was entered contains terms or nested terms that are not separated by a logical operator.

10/088369

=> s 14 1-3 bib abs hitstr

MISSING OPERATOR L4 1-3

The search profile that was entered contains terms or  
nested terms that are not separated by a logical operator.


=> d 14 1-3 bib abs hitstr

10/088369

L4 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2005 ACS on STN  
 AN 2001:208282 CAPLUS  
 DN 134:237472  
 TI Preparation of 1-amino-3-thienoisoxazolylphenoxy-2-propanols as  
 dopamine  
 D4 antagonists  
 IN Fink, David M.; Freed, Brian S.; Hrib, Nicholas J.; Kosley, Raymond  
 W.,  
 Jr.; Lee, George E.; Merriman, Gregory H.; Rauckman, Barbara S.  
 PA Aventis Pharmaceuticals, Inc., USA  
 SO PCT Int. Appl., 157 pp.  
 CODEN: PXXDZ  
 DT Patent  
 LA English  
 FAN.CNT 1

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI WO 2001019833	A1	20010322	WO 2000-US24962	
20000913				
V:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, BG, BZ, CA, CH, CY, CZ, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG			
CA 2383340	AA	20010322	CA 2000-2383340	
20000913				
BR 2000014515	A	20020625	BR 2000-14515	
20000913				
EP 1216250	A1	20020626	EP 2000-964969	
20000913				
EP 1216250	B1	20031119		
R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL			
EE 200200135	A	20030415	EE 2002-135	
20000913				
AT 254621	E	20031215	AT 2000-964969	
20000913				
PT 1216250	T	20040430	PT 2000-964969	
20000913				
ES 2209995	T3	20040701	ES 2000-964969	
20000913				


L4 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)  
 330651-02-0P 330651-03-1P 330651-04-2P  
 330651-05-3P 330651-06-4P 330651-07-5P  
 330651-08-6P 330651-09-7P 330651-10-8P  
 330651-11-1P 330651-12-2P 330651-18-8P  
 330651-19-9P 330651-20-2P 330651-21-3P  
 330651-22-4P 330651-23-5P 330651-24-6P  
 330672-14-5P 330672-15-6P  
 RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use);  
 BIOL (Biological study); PREP (Preparation); USES (Uses)  
 (prepn. of 1-amino-3-thienoisoxazolylphenoxy-2-propanols as dopamine D4 antagonists)  
 RN 330650-04-9 CAPLUS  
 CN 2-Propanol,  
 1-[methyl(phenylmethyl)amino]-3-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)-, monohydrochloride, (2R)- (9CI) (CA INDEX NAME)  
 Absolute stereochemistry. Rotation (+).



● HCl


RN 330650-05-0 CAPLUS  
 CN 1-Piperazineethanol,  
 4-(2-methoxyphenyl)-α-[(3-thieno[2,3-d]isoxazol-3-ylphenoxy)methyl]-, monohydrochloride, (αR)- (9CI) (CA INDEX NAME)  
 Absolute stereochemistry.

L4 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)  
 TV 530060 B 20030501 TV 2000-89118850 20000914  
 NO 2002001251 A 20020510 NO 2002-1251 20020313  
 ZA 2002001762 A 20030602 ZA 2002-1762 20020321  
 PRAI US 1999-396081 A1 19990914  
 WO 2000-US24962 W 20000913  
 OS MARPAT 134:237472  
 AB R2OCH2C2R1R2CH2NR3R4 [I; R = e.g., thieno[2,3-d]isoxazol-3-yl; R1 = OH or alkoxy; R2, R4 = H or alkyl; R3 = CH2R5, CH2CH(OH)R5, indanyl, etc.; R5 = cyclohex(en)yl, (hetero)aryl, etc.; 2 = phenylene] were prepared  
 Thus, 3-bromothiophene was acylated by 3-(MeO)C6H4COCl and the oximated product cyclized to give, after O-demethylation, 3-RC6H4OH [R = thieno[2,3-d]isoxazol-3-yl] which was etherified by (R)-glycidyl tosylate and the product aminated by PhCHMeNH2 to give (R)-3-RC6H4OCH2CH(OH)CH2NMeCH2Ph (R as above). Data for biol. activity of I were given.  
 IT 330650-04-9P 330650-05-0P 330650-06-1P  
 330650-07-2P 330650-08-3P 330650-09-4P  
 330650-10-7P 330650-11-8P 330650-12-9P  
 330650-13-0P 330650-14-1P 330650-15-2P  
 330650-16-3P 330650-17-4P 330650-18-5P  
 330650-19-6P 330650-20-9P 330650-21-0P  
 330650-22-1P 330650-23-2P 330650-24-3P  
 330650-25-4P 330650-26-5P 330650-27-6P  
 330650-28-7P 330650-29-8P 330650-30-1P  
 330650-31-2P 330650-32-3P 330650-33-4P  
 330650-34-5P 330650-35-6P 330650-36-7P  
 330650-37-8P 330650-38-9P 330650-39-0P  
 330650-40-3P 330650-41-4P 330650-42-5P  
 330650-43-6P 330650-44-7P 330650-45-8P  
 330650-46-9P 330650-47-0P 330650-48-1P  
 330650-49-2P 330650-50-5P 330650-51-6P  
 330650-52-7P 330650-53-8P 330650-54-9P  
 330650-55-0P 330650-56-1P 330650-57-2P  
 330650-58-3P 330650-59-4P 330650-60-7P  
 330650-61-8P 330650-62-9P 330650-63-0P  
 330650-64-1P 330650-65-2P 330650-66-3P  
 330650-67-4P 330650-68-5P 330650-69-6P  
 330650-70-9P 330650-71-0P 330650-72-1P  
 330650-73-2P 330650-74-3P 330650-75-4P  
 330650-76-5P 330650-77-6P 330650-78-7P  
 330650-79-8P 330650-82-3P 330650-83-4P  
 330650-84-5P 330650-85-6P 330650-86-7P  
 330650-87-8P 330650-88-9P 330650-89-0P  
 330650-90-3P 330650-91-4P 330650-92-5P  
 330650-93-6P 330650-94-7P 330650-95-8P  
 330650-96-9P 330650-97-0P 330650-98-1P  
 330650-99-2P 330651-00-8P 330651-01-9P




● HCl

RN 330650-06-1 CAPLUS  
 CN 1-Piperazineethanol, 4-(2-methoxyphenyl)-α-[(3-thieno[2,3-d]isoxazol-3-ylphenoxy)methyl]-, (αR)- (9CI) (CA INDEX NAME)  
 Absolute stereochemistry.



RN 330650-07-2 CAPLUS  
 CN 1-Piperazineethanol, 4-(6-fluoro-1H-indazol-3-yl)-α-[(3-thieno[2,3-d]isoxazol-3-ylphenoxy)methyl]-, (αR)- (9CI) (CA INDEX NAME)  
 Absolute stereochemistry.




RN 330650-08-3 CAPLUS  
 CN 1-Piperazineethanol, 4-(5-methoxy-1H-indazol-3-yl)-α-[(3-thieno[2,3-d]isoxazol-3-ylphenoxy)methyl]-, (αR)- (9CI) (CA INDEX NAME)

10/088369


L4 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)  
d]isoxazol-3-ylphenoxy)methyl]-, (aR)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 330650-09-4 CAPLUS  
CN 1-Piperidineethanol, 4-(6-fluoro-1,2-benzisoxazol-3-yl)-a-[(3-thieno[2,3-d]isoxazol-3-ylphenoxy)methyl]-, (aR)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




RN 330650-10-7 CAPLUS  
CN 1-Piperidineethanol, 4-(6-chloro-1,2-benzisoxazol-3-yl)-a-[(3-thieno[2,3-d]isoxazol-3-ylphenoxy)methyl]-, (aR)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.


L4 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)  
d]isoxazol-3-ylphenoxy)methyl]-, (aR)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




RN 330650-14-1 CAPLUS  
CN 1-Piperazineethanol, 1-[(2-pyridinylmethyl)amino]-3-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)methyl]-, (aR)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




RN 330650-15-2 CAPLUS  
CN 1-Piperazineethanol, 1-[(2-pyridinylmethyl)amino]-3-(4-thieno[2,3-d]isoxazol-3-ylphenoxy)methyl]-, (aR)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




RN 330650-16-3 CAPLUS  
CN 1-Piperazineethanol, 1-[(2-pyridinylmethyl)amino]-3-(4-thieno[2,3-d]isoxazol-3-ylphenoxy)methyl]-, (aR)- (9CI) (CA INDEX NAME)

L4 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)




RN 330650-11-8 CAPLUS  
CN 1-Piperazineethanol, 4-(1,2-benzisothiazol-3-yl)-a-[(3-thieno[2,3-d]isoxazol-3-ylphenoxy)methyl]-, (aR)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 330650-12-9 CAPLUS  
CN 1-Piperazineethanol, 4-(6-fluoro-1,2-benzisothiazol-3-yl)-a-[(3-thieno[2,3-d]isoxazol-3-ylphenoxy)methyl]-, (aR)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 330650-13-0 CAPLUS  
CN 1-Piperazineethanol, 4-(6-fluorobenzo[b]thien-3-yl)-a-[(3-thieno[2,3-d]isoxazol-3-ylphenoxy)methyl]-, (aR)- (9CI) (CA INDEX NAME)


L4 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)

Absolute stereochemistry.




RN 330650-17-4 CAPLUS  
CN 2-Propanol, 1-[(2-pyridinylmethyl)amino]-3-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)-, (2R)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 330650-18-5 CAPLUS  
CN 2-Propanol, 1-[(2-pyridinylmethyl)amino]-3-(4-thieno[2,3-d]isoxazol-3-ylphenoxy)-, (2R)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




RN 330650-19-6 CAPLUS  
CN 2-Propanol, 1-[(2-pyridinylmethyl)amino]-3-(4-thieno[2,3-d]isoxazol-3-ylphenoxy)-, (2R)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.


10/088369

L4 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)




RN 330650-20-9 CAPLUS  
CN 2-Propanol, 1-[(2-furanylmethyl)amino]-3-(4-thieno[2,3-d]isoxazol-3-ylphenoxy)-, (2R)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 330650-21-0 CAPLUS  
CN 2-Propanol, 1-(4-thieno[2,3-d]isoxazol-3-ylphenoxy)-3-[(2-thienylmethyl)amino]-, (2R)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 330650-22-1 CAPLUS  
CN 2-Propanol, 2-methyl-1-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)-3-[(2-thienylmethyl)amino]-, (2R)- (9CI) (CA INDEX NAME)


L4 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)

Absolute stereochemistry.




RN 330650-25-4 CAPLUS  
CN 2-Propanol, 1-[(2-methoxyphenyl)methyl]amino]-2-methyl-3-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)-, (2R)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 330650-26-5 CAPLUS  
CN 2-Propanol, 1-[(4-chlorophenyl)methyl]amino]-2-methyl-3-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)-, (2R)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




RN 330650-27-6 CAPLUS  
CN 2-Propanol, 1-[(4-fluorophenyl)methyl]amino]-2-methyl-3-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)-, (2R)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

L4 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)

Absolute stereochemistry.




RN 330650-23-2 CAPLUS  
CN 2-Propanol, 2-methyl-1-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)-3-[(2-thienylmethyl)amino]-, (2R)-, (2Z)-2-butenedioate (1:1) (salt) (9CI)  
(CA INDEX NAME)

CM 1

CRN 330650-22-1  
CMF C20 H20 N2 O3 S2


Absolute stereochemistry.



CM 2


CRN 110-16-7  
CMF C4 H4 O4

Double bond geometry as shown.




RN 330650-24-3 CAPLUS  
CN 2-Propanol, 1-[(4-methoxyphenyl)methyl]amino]-2-methyl-3-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)-, (2R)- (9CI) (CA INDEX NAME)

L4 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)




RN 330650-28-7 CAPLUS  
CN 2-Propanol, 1-[(2-fluorophenyl)methyl]amino]-2-methyl-3-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)-, (2R)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




RN 330650-29-8 CAPLUS  
CN 2-Propanol, 1-[(2-furanylmethyl)amino]-2-methyl-3-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)-, (2R)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 330650-30-1 CAPLUS  
CN 2-Propanol, 2-methyl-1-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)-3-[[[4-(trifluoromethyl)phenyl]methyl]amino]-, (2R)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




10/088369

L4 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)


RN 330650-31-2 CAPLUS  
CN 2-Propanol, 2-methyl-1-[[[(1R)-1-phenylethyl]amino]-3-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)-, (2R)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




RN 330650-32-3 CAPLUS  
CN 2-Propanol, 2-methyl-1-[[[(1S)-1-phenylethyl]amino]-3-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)-, (2R)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




RN 330650-33-4 CAPLUS  
CN 2-Propanol, 2-methyl-1-[[[(1-naphthalenylmethyl)amino]-3-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)-, (2R)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 330650-34-5 CAPLUS  
CN 2-Propanol, 2-methyl-1-[[[(4-pyridinylmethyl)amino]-3-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)-, (2R)- (9CI) (CA INDEX NAME)


L4 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)



● HCl

RN 330650-38-9 CAPLUS  
CN 2-Propanol, 1-[[[(3-pyridinylmethyl)amino]-3-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)-, dihydrochloride, (2R)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




● 2 HCl

RN 330650-39-0 CAPLUS  
CN Benzenemethanol, α-[[[(2R)-2-hydroxy-2-methyl-3-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)propyl]amino]methyl]-, monohydrochloride (9CI) (CA INDEX NAME)

Absolute stereochemistry.


L4 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)

Absolute stereochemistry.




RN 330650-35-6 CAPLUS  
CN 2-Propanol, 2-methyl-1-[[[(2-pyridinylmethyl)amino]-3-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)-, (2R)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 330650-36-7 CAPLUS  
CN 2-Propanol, 2-methyl-1-[[[(2-pyridinylmethyl)amino]-3-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)-, (2R)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




RN 330650-37-8 CAPLUS  
CN 2-Propanol, 1-[[[(2-furanylmethyl)amino]-3-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)-, monohydrochloride, (2R)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




L4 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)



● HCl


RN 330650-40-3 CAPLUS  
CN 1-Piperazineethanol, 4-(2-fluorophenyl)-α-[(3-thieno[2,3-d]isoxazol-3-ylphenoxy)methyl]-, (αR)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 330650-41-4 CAPLUS  
CN 1-Piperazineethanol, 4-(4-fluorophenyl)-α-[(3-thieno[2,3-d]isoxazol-3-ylphenoxy)methyl]-, (αR)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




RN 330650-42-5 CAPLUS  
CN 1-Piperazineethanol, 4-(2-chlorophenyl)-α-[(3-thieno[2,3-d]isoxazol-3-ylphenoxy)methyl]-, (αR)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




10/088369

L4 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)




RN 330650-43-6 CAPLUS  
CN 1-Piperazineethanol, 4-((3-chlorophenyl)-α-((3-thieno[2,3-d]isoxazol-3-ylphenoxy)methyl)-, (αR)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 330650-44-7 CAPLUS  
CN 1-Piperazineethanol, 4-((4-methoxyphenyl)-α-((3-thieno[2,3-d]isoxazol-3-ylphenoxy)methyl)-, (αR)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




RN 330650-45-8 CAPLUS  
CN 1-Piperazineethanol, 4-phenyl-α-((3-thieno[2,3-d]isoxazol-3-ylphenoxy)methyl)-, (αR)- (9CI) (CA INDEX NAME)

L4 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)


RN 330650-48-1 CAPLUS  
CN 1-Piperazineethanol, α-((3-thieno[2,3-d]isoxazol-3-ylphenoxy)methyl)-, (αR)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 330650-49-2 CAPLUS  
CN Thieno[3,2-c]pyridine-5(4H)-ethanol, 6,7-dihydro-α-((3-thieno[2,3-d]isoxazol-3-ylphenoxy)methyl)-, (αR)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




RN 330650-50-5 CAPLUS  
CN Thieno[3,2-c]pyridine-5(4H)-ethanol, 6,7-dihydro-α-((3-thieno[2,3-d]isoxazol-3-ylphenoxy)methyl)-, (αR)- (9CI) (CA INDEX NAME)

CH 1


CRN 330650-49-2  
CMF C21 H20 N2 O3 S2

Absolute stereochemistry.




L4 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)

Absolute stereochemistry.




RN 330650-46-9 CAPLUS  
CN Benzonitrile, 2-[[4-((2R)-2-hydroxy-3-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)propyl)-1-piperazinyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 330650-47-0 CAPLUS  
CN 1-Piperazineethanol, 4-((1,3-benzodioxol-5-ylmethyl)-α-((3-thieno[2,3-d]isoxazol-3-ylphenoxy)methyl)-, dihydrochloride, (αR)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




● 2 HCl

L4 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)

CH 2


CRN 87-69-4  
CMF C4 H6 O6

Absolute stereochemistry.



RN 330650-51-6 CAPLUS  
CN Benzenemethanamine, N-[(2R)-2-methoxy-3-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)propyl]-N-methyl-, monohydrochloride (9CI) (CA INDEX NAME)


Absolute stereochemistry.



● HCl

RN 330650-52-7 CAPLUS  
CN Benzenemethanamine, N-[(2R)-2-methoxy-3-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)propyl]-N-methyl-, monohydrochloride (9CI) (CA INDEX NAME)

Absolute stereochemistry.




RN 330650-53-8 CAPLUS  
CN Benzenemethanamine, N-[(2R)-2-methoxy-3-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)propyl]-N-methyl-, monohydrochloride (9CI) (CA INDEX NAME)

Absolute stereochemistry.


10/088369

L4 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)




● HCl

RN 330650-54-9 CAPLUS  
 CN 2(1H)-Isoquinolineethanol,  
 3,4-dihydro- $\alpha$ -[(3-thieno[2,3-d]isoxazol-3-ylphenoxy)methyl]-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl

RN 330650-55-0 CAPLUS  
 CN 2(1H)-Isoquinolineethanol,  
 3,4-dihydro- $\alpha$ -[(3-thieno[2,3-d]isoxazol-3-ylphenoxy)methyl]- (9CI) (CA INDEX NAME)




RN 330650-56-1 CAPLUS  
 CN 2-Propanol, 1-((3-thieno[2,3-d]isoxazol-3-ylphenoxy)methyl)-, (2R)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

L4 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)


Absolute stereochemistry.



● HCl

RN 330650-59-4 CAPLUS  
 CN 2-Propanol, 1-((3-thieno[2,3-d]isoxazol-3-ylphenoxy)methyl)-, monohydrochloride, (2R)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




● HCl

RN 330650-60-7 CAPLUS  
 CN 2-Propanol,  
 1-[(1-naphthalenylmethyl)amino]-3-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)-, monohydrochloride, (2R)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

L4 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)




RN 330650-57-2 CAPLUS  
 CN 2-Propanol, 1-((3-thieno[2,3-d]isoxazol-3-ylphenoxy)methyl)-, (2R)-, (2R,3R)-2,3-dihydroxybutanedioate (1:1) (salt) (9CI) (CA INDEX NAME)

CM 1

CRN 330650-56-1  
 CMF C19 H18 N2 O3 S2


Absolute stereochemistry.



CM 2


CRN 87-69-4  
 CMF C4 H6 O6

Absolute stereochemistry.



RN 330650-58-3 CAPLUS  
 CN 1-Piperazineethanol, 4-(4-chlorophenyl)- $\alpha$ -[(3-thieno[2,3-d]isoxazol-3-ylphenoxy)methyl]-, monohydrochloride, (aR)- (9CI) (CA INDEX NAME)


L4 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)



● HCl


RN 330650-61-8 CAPLUS  
 CN 2-Propanol,  
 1-[(1-naphthalenylmethyl)amino]-3-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)-, (2R)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 330650-62-9 CAPLUS  
 CN 2(1H)-Isoquinolineethanol, 3,4-dihydro- $\alpha$ -[(4-thieno[2,3-d]isoxazol-3-ylphenoxy)methyl]-, (aR)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




RN 330650-63-0 CAPLUS

10/088369


L4 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)  
 CN 1-Piperazineethanol,  
 4-(2-methoxyphenyl)-a-[(4-thieno[2,3-d]isoxazol-3-ylphenoxy)methyl]-, (aR)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 330650-64-1 CAPLUS  
 CN Thieno[3,2-c]pyridine-5(4H)-ethanol, 6,7-dihydro-a-[(4-thieno[2,3-d]isoxazol-3-ylphenoxy)methyl]-, (aR)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 330650-65-2 CAPLUS  
 CN Benzonitrile, 2-[4-[(2R)-2-hydroxy-3-(4-thieno[2,3-d]isoxazol-3-ylphenoxy)propyl]-1-piperazinyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

L4 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)




RN 330650-68-5 CAPLUS  
 CN 2-Propanol,  
 2-methyl-1-[(phenylmethyl)amino]-3-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)-, (2S)-, (2Z)-2-butenedioate (1:1) (salt) (9CI) (CA INDEX NAME)

CM 1

CRN 330650-67-4  
 CMF C22 H22 N2 O3 S


Absolute stereochemistry.



CM 2

CRN 110-16-7  
 CMF C4 H4 O4


Double bond geometry as shown.



RN 330650-69-6 CAPLUS  
 CN 2-Propanol,  
 2-methyl-1-[(phenylmethyl)amino]-3-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)-, (2R)- (9CI) (CA INDEX NAME)


Absolute stereochemistry. Rotation (-).

L4 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)



RN 330650-66-3 CAPLUS  
 CN 1-Piperidineethanol, 4-(6-fluoro-1,2-benzisoxazol-3-yl)-a-[(4-thieno[2,3-d]isoxazol-3-ylphenoxy)methyl]-, (aR)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 330650-67-4 CAPLUS  
 CN 2-Propanol,  
 2-methyl-1-[(phenylmethyl)amino]-3-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)-, (2S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

L4 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)




RN 330650-70-9 CAPLUS  
 CN 2-Propanol,  
 2-methyl-1-[(phenylmethyl)amino]-3-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)-, (2R)-, (2Z)-2-butenedioate (1:1) (salt) (9CI) (CA INDEX NAME)

CM 1

CRN 330650-69-6  
 CMF C22 H22 N2 O3 S


Absolute stereochemistry. Rotation (-).



CM 2

CRN 110-16-7  
 CMF C4 H4 O4

Double bond geometry as shown.




RN 330650-71-0 CAPLUS  
 CN 2-Propanol, 2-methyl-1-[(methyl(phenylmethyl)amino)-3-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)-, monohydrochloride, (2R)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

10/088369


L4 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)



● HCl


RN 330650-72-1 CAPLUS  
CN 2-Propanol,  
1-((4-fluorophenyl)methyl)amino]-2-methyl-3-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)-, (2S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




RN 330650-73-2 CAPLUS  
CN 2-Propanol,  
1-((2-fluorophenyl)methyl)amino]-2-methyl-3-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)-, (2S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




RN 330650-74-3 CAPLUS  
CN 2-Propanol,  
1-((3-fluorophenyl)methyl)amino]-2-methyl-3-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)-, (2S)- (9CI) (CA INDEX NAME)

L4 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)




RN 330650-78-7 CAPLUS  
CN 2-Propanol, 2-methyl-1-(((1R)-1-phenylethyl)amino)-3-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)-, (2S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 330650-79-8 CAPLUS  
CN 2-Propanol, 2-methyl-1-(((1S)-1-phenylethyl)amino)-3-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)-, (2S)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 330650-82-3 CAPLUS  
CN 2-Propanol, 2-methyl-1-((1-naphthalenylmethyl)amino)-3-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)-, (2S)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.

L4 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)




RN 330650-75-4 CAPLUS  
CN 2-Propanol,  
1-(((4-chlorophenyl)methyl)amino)-2-methyl-3-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)-, (2S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 330650-76-5 CAPLUS  
CN 2-Propanol,  
1-(((2-chlorophenyl)methyl)amino)-2-methyl-3-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)-, (2S)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 330650-77-6 CAPLUS  
CN 2-Propanol,  
1-(((3,4-dichlorophenyl)methyl)amino)-2-methyl-3-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)-, (2S)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.

L4 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)




RN 330650-83-4 CAPLUS  
CN 2-Propanol,  
2-methyl-1-(((4-methylphenyl)methyl)amino)-3-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)-, (2S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 330650-84-5 CAPLUS  
CN 2-Propanol,  
1-(((4-methoxyphenyl)methyl)amino)-2-methyl-3-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)-, (2S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




RN 330650-85-6 CAPLUS  
CN 2-Propanol,  
1-(((2-methoxyphenyl)methyl)amino)-2-methyl-3-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)-, (2S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.


10/088369

L4 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)




RN 330650-86-7 CAPLUS  
CN 2-Propanol, 2-methyl-1-[(2-furanylmethyl)amino]-3-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)-, (2S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 330650-87-8 CAPLUS  
CN 2-Propanol, 2-methyl-1-[(2-pyridinylmethyl)amino]-3-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)-, (2S)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 330650-88-9 CAPLUS  
CN 2-Propanol, 2-methyl-1-[(2-thienylmethyl)amino]-3-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)-, (2S)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.

L4 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)




RN 330650-92-5 CAPLUS  
CN 1-Piperazineethanol, 4-(2-methoxyphenyl)-α-methyl-α-[(3-thieno[2,3-d]isoxazol-3-ylphenoxy)methyl]-, (αS)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 330650-93-6 CAPLUS  
CN Benzonitrile, 2-[4-[(2S)-2-hydroxy-2-methyl-3-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)propyl]-1-piperazinyl]- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 330650-94-7 CAPLUS  
CN 1-Piperidineethanol, 4-(3-chlorophenyl)-α-methyl-α-[(3-thieno[2,3-d]isoxazol-3-ylphenoxy)methyl]-, (αS)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.

L4 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)




RN 330650-89-0 CAPLUS  
CN 2-Propanol, 2-methyl-1-[(3-pyridinylmethyl)amino]-3-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)-, (2S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 330650-90-3 CAPLUS  
CN 2-Propanol, 2-methyl-1-[(2-pyridinylmethyl)amino]-3-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)-, (2S)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 330650-91-4 CAPLUS  
CN 2-Propanol, 2-methyl-1-[methyl(phenylmethyl)amino]-3-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)-, (2S)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.

L4 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)




RN 330650-95-8 CAPLUS  
CN 1-Piperidineethanol, 4-(6-fluoro-1,2-benzisoxazol-3-yl)-α-methyl-α-[(3-thieno[2,3-d]isoxazol-3-ylphenoxy)methyl]-, (αS)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 330650-96-9 CAPLUS  
CN 2-Propanol, 1-[(1H-benzimidazol-2-ylmethyl)amino]-3-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)-, (2R)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




RN 330650-97-0 CAPLUS  
CN 1,2-Benzisoxazol-6-ol, 3-[4-[(2R)-2-hydroxy-2-methyl-3-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)propyl]-1-piperazinyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.


10/088369

L4 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)




RN 330650-98-1 CAPLUS  
CN 2-Propanol,  
1-[(4-pyridinylmethyl)amino]-3-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)-, (2R)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




RN 330650-99-2 CAPLUS  
CN 2-Propanol,  
1-[(1,2,3,4-tetrahydro-1-naphthalenyl)amino]-3-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)-, (2R)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




RN 330651-00-8 CAPLUS  
CN 2H-Pyrido[3,4-b]indole-2-ethanol, 1,3,4,9-tetrahydro-α-[(3-thieno[2,3-d]isoxazol-3-ylphenoxy)methyl]-, (αR)- (9CI) (CA INDEX NAME)

L4 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)



RN 330651-04-2 CAPLUS  
CN 2-Propanol, 1-[(2,3-dihydro-1H-inden-2-yl)amino]-3-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)-, monohydrochloride, (2R)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



● HCl

RN 330651-05-3 CAPLUS  
CN 2-Propanol, 1-[(2,3-dihydro-1H-inden-2-yl)amino]-3-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)-, (2R)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 330651-06-4 CAPLUS  
CN 2-Propanol, 1-[(cyclohexylmethyl)amino]-3-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)-, (2R)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.

L4 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)




RN 330651-01-9 CAPLUS  
CN 2(1H)-Isoquinolineethanol, 3,4-dihydro-6,7-dimethoxy-α-[(3-thieno[2,3-d]isoxazol-3-ylphenoxy)methyl]-, (αR)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 330651-02-0 CAPLUS  
CN 1-Piperazineethanol, 4-(4-methoxyphenyl)-3-methyl-α-[(3-thieno[2,3-d]isoxazol-3-ylphenoxy)methyl]-, (αR)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 330651-03-1 CAPLUS  
CN 1-Piperidineethanol, 4-(4-chlorophenyl)-4-hydroxy-α-[(3-thieno[2,3-d]isoxazol-3-ylphenoxy)methyl]-, (αR)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.

L4 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)




RN 330651-07-5 CAPLUS  
CN 2-Propanol, 1-[(2,3-dihydro-1H-inden-1-yl)amino]-3-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)-, (2R)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 330651-08-6 CAPLUS  
CN 2-Propanol, 1-[(3,4-dichlorophenyl)methyl]amino]-2-methyl-3-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)-, monohydrochloride, (2S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




● HCl

RN 330651-09-7 CAPLUS  
CN 2-Propanol,  
1-[(3,4-dichlorophenyl)methyl]amino]-2-methyl-3-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)-, monohydrochloride, (2S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

10/088369


L4 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)



● HCl

RN 330651-10-0 CAPLUS  
CN 2-Propanol,  
1-[[[(3,4-difluorophenyl)methyl]amino]-2-methyl-3-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)]-, monohydrochloride, (2S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




● HCl

RN 330651-11-1 CAPLUS  
CN 2-Propanol, 1-[(3-thieno[2,3-d]isoxazol-3-ylphenoxy)-3-(tricyclo[3.3.1.1<sup>3,7</sup>]dec-1-ylamino)]-, (2R)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.

L4 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)




RN 330651-20-2 CAPLUS  
CN 1-Piperazineethanol,  
4-[(1,3-benzodioxol-5-ylmethyl)-a-[(3-thieno[2,3-d]isoxazol-3-ylphenoxy)methyl]]-, (aR)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 330651-21-3 CAPLUS  
CN Benzenemethanol, a-[[[(2R)-2-hydroxy-3-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)propyl]amino)methyl]- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 330651-22-4 CAPLUS  
CN Benzenemethanamine, N-[(2R)-2-methoxy-3-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)propyl]- (9CI) (CA INDEX NAME)


Absolute stereochemistry.

L4 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)




RN 330651-12-2 CAPLUS  
CN 1-Piperidineethanol, a-[(3-thieno[2,3-d]isoxazol-3-ylphenoxy)methyl]-, (aR)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 330651-18-8 CAPLUS  
CN 2-Propanol, 1-[(3-thieno[2,3-d]isoxazol-3-ylphenoxy)-3-[(3-thienylmethyl)amino]]-, (2R)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 330651-19-9 CAPLUS  
CN 1-Piperazineethanol, 4-[(4-chlorophenyl)-a-[(3-thieno[2,3-d]isoxazol-3-ylphenoxy)methyl]]-, (aR)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.

L4 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)




RN 330651-23-5 CAPLUS  
CN 2-Propanol,  
1-[[[(3,4-difluorophenyl)methyl]amino]-2-methyl-3-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)]-, (2S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 330651-24-6 CAPLUS  
CN 2[(1R)-isoquinolineethanol, 3,4-dihydro-a-[(3-thieno[2,3-d]isoxazol-3-ylphenoxy)methyl]]-, (aR)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




RN 330672-14-5 CAPLUS  
CN 2-Propanol,  
1-[methyl(phenylmethyl)amino]-3-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)]-, (2R)- (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (+).


10/088369

L4 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)




RN 330672-15-6 CAPLUS  
 CN 8-Azabicyclo[3.2.1]octane-8-ethanol,  
 3-[(1,2-benzisoxazol-3-yl)-o-[(3-  
 thieno[2,3-d]isoxazol-3-ylphenoxy)methyl]-, (2R)- (9CI) (CA INDEX  
 NAME)

Absolute stereochemistry.



IT 330651-36-0P  
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation);  
 RACT  
 (Reactant or reagent)  
 (preparation of 1-amino-3-thienoisoxazolylphenoxy-2-propanols as  
 dopamine D4  
 antagonists)  
 RN 330651-36-0 CAPLUS  
 CN 2-Propanol, 1-[(phenylmethyl)amino]-3-(3-thieno[2,3-d]isoxazol-3-  
 ylphenoxy)-, (2R)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RE.CMT 2 THERE ARE 2 CITED REFERENCES AVAILABLE FOR THIS RECORD  
 ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4 ANSWER 2 OF 3 CAPLUS COPYRIGHT 2005 ACS on STN  
 AN 2001:208281 CAPLUS  
 DN 134:252333  
 TI Preparation of N-(alkyl)(thienoisoxazolylphenoxy)alkanamines and  
 analogs  
 as dopamine D4 antagonists  
 IN Lee, George E.; Ayers, Timothy A.; Jurcak, John G.  
 PA Aventis Pharmaceuticals, Inc., USA  
 SO PCT Int. Appl., 108 pp.  
 CODEN: PIIKX2  
 DT Patent  
 LA English  
 FAN.CMT 1


PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2001019832	A2	20010322	WO 2000-US24949	
WO 2001019832	A3	20011004		
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, BG, KZ, MD, RU, TJ, TM RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG CA 2383327 AA 20010322 CA 2000-2383327				
EP 1216249	A2	20020626	EP 2000-964967	
EP 1216249	B1	20031119		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL				
BR 2000014513	A	20020702	BR 2000-14513	
BR 200200133	A	20030415	BR 2002-133	
AT 254620	E	20031215	AT 2000-964967	
PT 1216249	T	20040430	PT 2000-964967	
ES 2206305	T3	20040516	ES 2000-964967	
ZA 2002001760	A	20030602	ZA 2002-1760	
NO 2002001249	A	20020510	NO 2002-1249	

L4 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)

L4 ANSWER 2 OF 3 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)  
 FRAI US 1999-396156 A1 19990914  
 WO 2000-US24949 W 20000913  
 OS MARPAT 134:252333  
 AB R02R3 [R3 = thieno[2,3-d]isoxazol-3-yl throughout] [I: R = 21NR1R2 or  
 1-benzyl-3-pyrrolidinyl; R1 = CH2R4, CH2CH(OH)R4, CHMeR4, indanyl,  
 etc.;  
 R2 = H or alkyl; NR1R2 = heterocyclyl; R4 = cyclohexanyl,  
 (hetero)aryl,  
 etc.; Z = phenylene; Z1 = alkylene] were prepared Thus,  
 3-bromothiophene  
 was acylated by 3-(MeO)C6H4COCl and the oximated product cyclized to  
 give,  
 after O-demethylation, 3-R3C6H4OH which was etherified by  
 3-FC6H4CH2NHCOCH2Cl (preparation given) and the product reduced to  
 give  
 3-R3C6H4OCH2CH2NHCH2C6H4F-3. Data for biol. activity of I were given.  
 IT 330678-74-5P 330678-75-6P 330678-76-7P  
 330678-77-8P 330678-78-9P 330678-79-0P  
 330678-80-3P 330678-81-4P 330678-82-5P  
 330678-83-6P 330678-84-7P 330678-85-8P  
 330678-86-9P 330678-87-0P 330678-88-1P  
 330678-89-2P 330678-90-3P 330678-91-6P  
 330678-92-7P 330678-93-8P 330678-94-9P  
 330678-95-0P 330678-96-1P 330678-97-2P  
 330678-98-3P 330678-99-4P 330679-00-0P  
 330679-01-1P 330679-02-2P 330679-03-3P  
 330679-04-4P 330679-05-5P 330679-06-6P  
 330679-07-7P 330679-08-8P 330679-09-9P  
 330679-10-2P 330679-11-3P 330679-12-4P  
 330679-13-5P 330679-14-6P 330679-15-7P  
 330679-16-8P 330679-17-9P 330679-18-0P  
 330679-19-1P 330679-20-4P 330679-21-5P  
 330679-22-6P 330679-23-7P 330679-24-8P  
 330679-25-9P 330679-26-0P 330679-27-1P  
 330679-28-2P 330679-29-3P 330679-30-6P  
 330679-31-7P 330679-32-8P 330679-33-9P  
 330679-34-0P 330679-35-1P 330679-36-2P  
 330679-37-3P 330679-38-4P 330679-39-5P  
 330981-75-4P  
 RL: BAC (Biological activity or effector, except adverse); BSU  
 (Biological  
 study, unclassified); SPN (Synthetic preparation); THU (Therapeutic  
 use);  
 BIOL (Biological study); PREP (Preparation); USES (Uses)  
 (preparation of N-(alkyl)(thienoisoxazolylphenoxy)alkanamines  
 and analogs  
 as dopamine D4 antagonists)  
 RN 330678-74-5 CAPLUS  
 CN Benzenemethanamine, 3-fluoro-N-[2-(3-thieno[2,3-d]isoxazol-3-  
 ylphenoxy)ethyl]- (9CI) (CA INDEX NAME)

10/088369


L4 ANSWER 2 OF 3 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)



RN 330678-75-6 CAPLUS  
CN Benzenemethanamine, 3-fluoro-N-[2-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)ethyl]-, (2Z)-2-butanediol (1:1) (9CI) (CA INDEX NAME)

CM 1


CRN 330678-74-5  
CMF C20 H17 F N2 O2 S



CM 2


CRN 110-16-7  
CMF C4 H4 O4

Double bond geometry as shown.




RN 330678-76-7 CAPLUS  
CN Benzenemethanamine, 3-fluoro-N-[2-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)ethyl]-, monohydrochloride (9CI) (CA INDEX NAME)

L4 ANSWER 2 OF 3 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)




● HCl

RN 330678-80-3 CAPLUS  
CN Benzenemethanamine, 3-fluoro-N-[3-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)propyl]- (9CI) (CA INDEX NAME)




RN 330678-81-4 CAPLUS  
CN Benzenemethanamine, N-[3-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)propyl]-, monohydrochloride (9CI) (CA INDEX NAME)




● HCl

RN 330678-82-5 CAPLUS  
CN Benzenemethanamine, N-[3-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)propyl]- (9CI) (CA INDEX NAME)




L4 ANSWER 2 OF 3 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)



● HCl

RN 330678-77-8 CAPLUS  
CN Thieno[2,3-d]isoxazole, 3-[3-[(3S)-1-(phenylmethyl)-3-pyrrolidinyl]oxy]phenyl]-, monohydrochloride (9CI) (CA INDEX NAME)


Absolute stereochemistry. Rotation (+).



● HCl

RN 330678-78-9 CAPLUS  
CN Thieno[2,3-d]isoxazole, 3-[3-[(3S)-1-(phenylmethyl)-3-pyrrolidinyl]oxy]phenyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (+).




RN 330678-79-0 CAPLUS  
CN Thieno[2,3-d]isoxazole, 3-[3-[(3R)-1-(phenylmethyl)-3-pyrrolidinyl]oxy]phenyl]-, monohydrochloride (9CI) (CA INDEX NAME)


Absolute stereochemistry. Rotation (-).

L4 ANSWER 2 OF 3 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)


RN 330678-83-6 CAPLUS  
CN Benzenemethanamine, 4-fluoro-N-[3-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)propyl]- (9CI) (CA INDEX NAME)




RN 330678-84-7 CAPLUS  
CN Benzenemethanamine, 4-chloro-N-[3-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)propyl]- (9CI) (CA INDEX NAME)



RN 330678-85-8 CAPLUS  
CN Benzenemethanamine, 4-methoxy-N-[3-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)propyl]- (9CI) (CA INDEX NAME)




RN 330678-86-9 CAPLUS  
CN 2-Thiophenemethanamine, N-[3-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)propyl]- (9CI) (CA INDEX NAME)




RN 330678-87-0 CAPLUS  
CN 3-Thiophenemethanamine, N-[3-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)propyl]- (9CI) (CA INDEX NAME)

10/088369


L4 ANSWER 2 OF 3 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)




RN 330678-88-1 CAPLUS  
CN 3-Pyridinemethanamine,  
N-[3-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)propyl]-  
(9CI) (CA INDEX NAME)



RN 330678-89-2 CAPLUS  
CN Benzenemethanol, α-[[[3-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)propyl]amino]methyl]- (9CI) (CA INDEX NAME)




RN 330678-90-5 CAPLUS  
CN Thieno[2,3-d]isoxazole, 3-[3-[3-(4-phenyl-1-piperazinyl)propoxy]phenyl]-  
(9CI) (CA INDEX NAME)




RN 330678-91-6 CAPLUS  
CN Thieno[2,3-d]isoxazole, 3-[3-[3-(4-(4-fluorophenyl)-1-piperazinyl)propoxy]phenyl]- (9CI) (CA INDEX NAME)


L4 ANSWER 2 OF 3 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)




RN 330678-92-7 CAPLUS  
CN Thieno[2,3-d]isoxazole, 3-[3-[3-(4-(2-fluorophenyl)-1-piperazinyl)propoxy]phenyl]- (9CI) (CA INDEX NAME)



RN 330678-93-8 CAPLUS  
CN Thieno[2,3-d]isoxazole, 3-[3-[3-(4-(2-pyrimidinyl)-1-piperazinyl)propoxy]phenyl]- (9CI) (CA INDEX NAME)




RN 330678-94-9 CAPLUS  
CN Benzenesulfonamide, 4-[[[3-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)propyl]amino]methyl]- (9CI) (CA INDEX NAME)




RN 330678-95-0 CAPLUS  
CN Benzenesulfonamide, 4-[2-[[[3-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)propyl]amino]ethyl]- (9CI) (CA INDEX NAME)


L4 ANSWER 2 OF 3 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)




RN 330678-96-1 CAPLUS  
CN Benzenemethanamine, 2-methoxy-N-[2-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)ethyl]- (9CI) (CA INDEX NAME)




RN 330678-97-2 CAPLUS  
CN Benzenemethanamine, 4-fluoro-N-[2-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)ethyl]- (9CI) (CA INDEX NAME)



RN 330678-98-3 CAPLUS  
CN Benzenemethanamine, 4-chloro-N-[2-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)ethyl]- (9CI) (CA INDEX NAME)




RN 330678-99-4 CAPLUS  
CN Benzenemethanamine, 4-methyl-N-[2-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)ethyl]- (9CI) (CA INDEX NAME)




RN 330679-00-0 CAPLUS  
CN Benzenemethanamine, 3,4-dichloro-N-[2-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)ethyl]- (9CI) (CA INDEX NAME)


L4 ANSWER 2 OF 3 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)




RN 330679-01-1 CAPLUS  
CN 3-Thiophenemethanamine,  
N-[2-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)ethyl]-  
(9CI) (CA INDEX NAME)



RN 330679-02-2 CAPLUS  
CN 2-Thiophenemethanamine,  
N-[2-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)ethyl]-  
(9CI) (CA INDEX NAME)




RN 330679-03-3 CAPLUS  
CN 3-Pyridinemethanamine,  
N-[2-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)ethyl]-  
(9CI) (CA INDEX NAME)



RN 330679-04-4 CAPLUS  
CN Isoquinoline, 1,2,3,4-tetrahydro-2-[2-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)ethyl]-, monohydrochloride (9CI) (CA INDEX NAME)


10/088369

L4 ANSWER 2 OF 3 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)




● HCl

RN 330679-05-5 CAPLUS  
 CN Thieno[2,3-d]isoxazole,  
 3-[3-[2-(4-phenyl-1-piperidinyl)ethoxy]phenyl]-,  
 monohydrochloride (9CI) (CA INDEX NAME)




● HCl

RN 330679-06-6 CAPLUS  
 CN Benzenemethanamine,  
 N-[2-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)ethyl]-2-  
 (trifluoromethyl)- (9CI) (CA INDEX NAME)




RN 330679-07-7 CAPLUS  
 CN Thieno[2,3-d]isoxazole, 3-[3-[2-(1-piperidinyl)ethoxy]phenyl]- (9CI)  
 (CA INDEX NAME)




L4 ANSWER 2 OF 3 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)


RN 330679-12-4 CAPLUS  
 CN Benzenemethanamine, 2-fluoro-N-[2-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)ethyl]- (9CI) (CA INDEX NAME)




RN 330679-13-5 CAPLUS  
 CN Benzenemethanamine, 2-chloro-N-[2-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)ethyl]- (9CI) (CA INDEX NAME)



RN 330679-14-6 CAPLUS  
 CN Benzenemethanamine, 3-methoxy-N-[2-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)ethyl]- (9CI) (CA INDEX NAME)




RN 330679-15-7 CAPLUS  
 CN Benzenemethanamine, 3,4-difluoro-N-[2-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)ethyl]- (9CI) (CA INDEX NAME)




RN 330679-16-8 CAPLUS  
 CN 1H-Inden-1-amine, 2,3-dihydro-N-[2-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)ethyl]- (9CI) (CA INDEX NAME)

L4 ANSWER 2 OF 3 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)


RN 330679-08-8 CAPLUS  
 CN Benzenemethanamine, 2,4-difluoro-N-[2-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)ethyl]- (9CI) (CA INDEX NAME)




RN 330679-09-9 CAPLUS  
 CN Benzenemethanamine, 2,6-difluoro-N-[2-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)ethyl]- (9CI) (CA INDEX NAME)




RN 330679-10-2 CAPLUS  
 CN Tricyclo[3.3.1.1.3,7]decan-1-amine, N-[2-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)ethyl]- (9CI) (CA INDEX NAME)




RN 330679-11-3 CAPLUS  
 CN Benzenemethanamine,  
 N-[2-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)ethyl]-4-  
 (trifluoromethyl)- (9CI) (CA INDEX NAME)




L4 ANSWER 2 OF 3 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)




RN 330679-17-9 CAPLUS  
 CN Thieno[2,3-d]isoxazole,  
 3-[3-[2-(4-methyl-1-piperidinyl)ethoxy]phenyl]-  
 (9CI) (CA INDEX NAME)



RN 330679-19-0 CAPLUS  
 CN Thieno[2,3-d]isoxazole,  
 3-[3-[2-(4-propyl-1-piperidinyl)ethoxy]phenyl]-  
 (9CI) (CA INDEX NAME)




RN 330679-19-1 CAPLUS  
 CN Thieno[2,3-d]isoxazole, 3-[3-[2-(1-pyrrolidinyl)ethoxy]phenyl]- (9CI)  
 (CA INDEX NAME)




RN 330679-20-4 CAPLUS  
 CN Thieno[2,3-d]isoxazole,  
 3-[3-[2-(hexahydro-1H-azepin-1-yl)ethoxy]phenyl]-  
 (9CI) (CA INDEX NAME)

10/088369


L4 ANSWER 2 OF 3 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)




RN 330679-21-5 CAPLUS  
CN Thieno[2,3-d]isoxazole,  
3-[3-[2-(hexahydro-1(2H)-azocinyl)ethoxy]phenyl]-  
(9CI) (CA INDEX NAME)



RN 330679-22-6 CAPLUS  
CN Benzenemethanamine, N-[2-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)ethyl]-  
(9CI) (CA INDEX NAME)




RN 330679-23-7 CAPLUS  
CN Thieno[2,3-d]isoxazole,  
3-[3-[2-(4-phenyl-1-piperazinyl)ethoxy]phenyl]-  
(9CI) (CA INDEX NAME)




RN 330679-24-8 CAPLUS  
CN Benzenemethanamine,  
N-[2-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)ethyl]-,  
monohydrochloride (9CI) (CA INDEX NAME)


L4 ANSWER 2 OF 3 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)




RN 330679-29-3 CAPLUS  
CN 1H-Inden-1-amine, 2,3-dihydro-N-[3-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)propyl]- (9CI) (CA INDEX NAME)



RN 330679-30-6 CAPLUS  
CN 1H-Inden-2-amine, 2,3-dihydro-N-[3-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)propyl]- (9CI) (CA INDEX NAME)




RN 330679-31-7 CAPLUS  
CN Isoquinoline, 1,2,3,4-tetrahydro-2-[3-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)propyl]- (9CI) (CA INDEX NAME)




RN 330679-32-8 CAPLUS  
CN 1H-Inden-2-amine, 2,3-dihydro-N-[2-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)ethyl]-, monohydrochloride (9CI) (CA INDEX NAME)

L4 ANSWER 2 OF 3 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)




● HCl


RN 330679-25-9 CAPLUS  
CN Benzenemethanamine, 4-methyl-N-[3-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)propyl]- (9CI) (CA INDEX NAME)



RN 330679-26-0 CAPLUS  
CN Benzenemethanamine, 2-chloro-N-[3-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)propyl]- (9CI) (CA INDEX NAME)




RN 330679-27-1 CAPLUS  
CN Benzenemethanamine, 3-methoxy-N-[3-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)propyl]- (9CI) (CA INDEX NAME)




RN 330679-28-2 CAPLUS  
CN Benzenemethanamine, 3,4-difluoro-N-[3-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)propyl]- (9CI) (CA INDEX NAME)

L4 ANSWER 2 OF 3 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)




● HCl


RN 330679-33-9 CAPLUS  
CN Tricyclo[3.3.1.1.3]decane-1-amine, N-[3-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)propyl]- (9CI) (CA INDEX NAME)



RN 330679-34-0 CAPLUS  
CN Thieno[2,3-d]isoxazole, 3-[3-(3-(1-piperidinyl)propoxy)phenyl]- (9CI)  
(CA INDEX NAME)




RN 330679-35-1 CAPLUS  
CN Benzenemethanamine, 2,4-difluoro-N-[3-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)propyl]- (9CI) (CA INDEX NAME)




RN 330679-36-2 CAPLUS  
CN Benzenemethanamine, 2,6-difluoro-N-[3-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)propyl]- (9CI) (CA INDEX NAME)

10/088369


L4 ANSWER 2 OF 3 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)




RN 330679-37-3 CAPLUS  
CN Benzenemethanamine,  
N-[3-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)propyl]-2-  
(trifluoromethyl)- (9CI) (CA INDEX NAME)



RN 330679-38-4 CAPLUS  
CN Benzenemethanamine,  
N-[3-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)propyl]-4-  
(trifluoromethyl)- (9CI) (CA INDEX NAME)



RN 330679-39-5 CAPLUS  
CN 3-Thiophenemethanamine,  
N-[2-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)ethyl]-,  
monohydrochloride (9CI) (CA INDEX NAME)





● HCl

RN 330981-75-4 CAPLUS  
CN Thieno[2,3-d]isoxazole, 3-[3-[(3R)-1-(phenylmethyl)-3-

L4 ANSWER 3 OF 3 CAPLUS COPYRIGHT 2005 ACS on STN  
AN 1987:598314 CAPLUS  
DN 107:198314  
TI Preparation of [(3-aminopropoxy)phenyl]thienoisoxazoles and  
pyrazoles for  
treatment of hypertension and glaucoma  
IN Ong, Helen Hui; Yasenchak, Christine Mary  
PA Hoechst-Roussel Pharmaceuticals, Inc., USA  
SO Eur. Pat. Appl., 73 pp.  
CODEN: EPXXDW  
DT Patent  
LA English  
FAN CNT 1

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI EP 221414	A1	19870513	EP 1986-114314	
19861016				
R: AT, BE, CH, DE, ES, FR, GB, GR, IT, LI, LU, NL, SE				
US 4728651	A	19880301	US 1985-791019	
19851024				
DK 8605079	A	19870425	DK 1986-5079	
19861023				
AU 8664337	A1	19870430	AU 1986-64337	
19861023				
JP 62103086	A2	19870513	JP 1986-250937	
19861023				
ZA 8608065	A	19870624	ZA 1986-8065	
19861023				
HU 45061	A2	19880530	HU 1986-4456	
19861023				
HU 198058	B	19890728		
US 4769472	A	19880906	US 1987-125108	
19871125				
PRAI US 1985-791019	A	19851024		
OS CASREACT 107:198314				
GI				




AB The title compds. [I: X = O, NR: R = H, alkyl; R1 = H; R2 = alkyl, arylalkyl, arylalkoxyalkyl, indolylalkyl, benzodioxarylalkyl, or NR1R2 = (arylalkyl)piperazinyl] were prepared as antihypertensives and for reduction of intraocular pressure.  
3-[(2-epoxymethoxy)phenyl]-1-methyl-1H-thieno[3,2-c]pyrazole 3 g was refluxed with Me3CNH2 in EtOH for 5 h to give 2.5 g of


L4 ANSWER 2 OF 3 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)

pyrrolidinyl]oxy]phenyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (-).



IT 330679-41-9P  
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation);  
RAC  
(Reactant or reagent)  
(preparation of N-(aralkyl) (thienoisoxazolylphenoxy)alkanamines  
and analogs  
as dopamine D4 antagonists)  
RN 330679-41-9 CAPLUS  
CN Acetamide, N-[(3-fluorophenyl)methyl]-2-(3-thieno[2,3-d]isoxazol-3-  
ylphenoxy)- (9CI) (CA INDEX NAME)



L4 ANSWER 3 OF 3 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)


[(aminopropoxy)phenyl]thienopyrazole deriv. (II).ZHC1. II reduced

outflow pressure by 51% when administered to an eye as a 2% soln.


IT 110894-42-3P 110894-43-4P 110894-44-5P  
110894-46-7P 110894-49-0P 110894-50-3P  
110894-51-4P 110894-52-5P 110894-53-6P  
110894-59-2P 110894-60-5P 110894-61-6P  
110894-62-7P 110894-63-8P 110894-64-9P  
110894-65-0P 110894-66-1P 110894-76-3P  
110916-52-4P

RL: SPN (Synthetic preparation); PREP (Preparation)  
(preparation of, for treatment of hypertension and glaucoma)


RN 110894-42-3 CAPLUS  
CN 2-Propanol, 1-[(1,1-dimethylethyl)amino]-3-(2-thieno[2,3-d]isoxazol-3-  
ylphenoxy)- (9CI) (CA INDEX NAME)



RN 110894-43-4 CAPLUS  
CN 2-Propanol, 1-[(1-methylethyl)amino]-3-(2-thieno[2,3-d]isoxazol-3-  
ylphenoxy)- (9CI) (CA INDEX NAME)




RN 110894-44-5 CAPLUS  
CN 2-Propanol, 1-[[2-(3,4-dimethoxyphenyl)ethyl]amino]-3-(2-thieno[2,3-  
d]isoxazol-3-ylphenoxy)- (9CI) (CA INDEX NAME)




10/088369


L4 ANSWER 3 OF 3 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)  
 RN 110894-46-7 CAPLUS  
 CN 2-Propanol, 1-[[2-(3,4-dimethoxyphenyl)ethyl]amino]-3-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)- (9CI) (CA INDEX NAME)



RN 110894-49-0 CAPLUS  
 CN 2-Propanol, 1-[(1-methylethyl)amino]-3-(2-thieno[2,3-d]isoxazol-3-ylphenoxy)-, (2Z)-2-butenedioate (1:1) (salt) (9CI) (CA INDEX NAME)  
 CH 1  
 CRN 110894-43-4  
 CMF C17 H20 N2 O3 S




CH 2  
 CRN 110-16-7  
 CMF C4 H4 O4  
 Double bond geometry as shown.




RN 110894-50-3 CAPLUS  
 CN 2-Propanol, 1-[[1,1-dimethylethyl]amino]-3-(2-thieno[2,3-d]isoxazol-3-ylphenoxy)-, (2Z)-2-butenedioate (1:1) (salt) (9CI) (CA INDEX NAME)

L4 ANSWER 3 OF 3 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)




● HCl

RN 110894-53-6 CAPLUS  
 CN 2-Propanol, 1-[[2-(1H-indol-3-yl)ethyl]amino]-3-(2-thieno[2,3-d]isoxazol-3-ylphenoxy)-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl


RN 110894-59-2 CAPLUS  
 CN 2-Propanol, 1-[(1-methylethyl)amino]-3-(3-thieno[2,3-b]isoxazol-3-ylphenoxy)- (9CI) (CA INDEX NAME)



RN 110894-60-5 CAPLUS  
 CN 2-Propanol, 1-[(1-methylethyl)amino]-3-(3-thieno[2,3-b]isoxazol-3-ylphenoxy)-, (2Z)-2-butenedioate (1:1) (salt) (9CI) (CA INDEX NAME)


L4 ANSWER 3 OF 3 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)

CH 1  
 CRN 110894-42-3  
 CMF C18 H22 N2 O3 S




CH 2  
 CRN 110-16-7  
 CMF C4 H4 O4

Double bond geometry as shown.




RN 110894-51-4 CAPLUS  
 CN 2-Propanol, 1-[[1-methyl-3-phenylpropyl]amino]-3-(2-thieno[2,3-d]isoxazol-3-ylphenoxy)- (9CI) (CA INDEX NAME)



RN 110894-52-5 CAPLUS  
 CN 2-Propanol, 1-[[1-[(2,3-dihydro-1,4-benzodioxin-2-yl)methyl]amino]-3-(2-thieno[2,3-d]isoxazol-3-ylphenoxy)-, hydrochloride (9CI) (CA INDEX NAME)


L4 ANSWER 3 OF 3 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)

CH 1  
 CRN 110894-59-2  
 CMF C17 H20 N2 O3 S




CH 2  
 CRN 110-16-7  
 CMF C4 H4 O4

Double bond geometry as shown.




RN 110894-61-6 CAPLUS  
 CN 2-Propanol, 1-[[1,1-dimethylethyl]amino]-3-(3-thieno[2,3-d]isoxazol-4-ylphenoxy)- (9CI) (CA INDEX NAME)



RN 110894-62-7 CAPLUS  
 CN 2-Propanol, 1-[[1,1-dimethylethyl]amino]-3-(3-thieno[2,3-d]isoxazol-4-ylphenoxy)-, (2Z)-2-butenedioate (1:1) (salt) (9CI) (CA INDEX NAME)

CH 1  
 CRN 110894-61-6  
 CMF C18 H22 N2 O3 S




10/088369

L4 ANSWER 3 OF 3 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)


CM 2

CRN 110-16-7  
CMF C4 H4 O4

Double bond geometry as shown.




RN 110894-63-8 CAPLUS  
CN 2-Propanol, 1-[[2-(3,4-dimethoxyphenyl)ethyl]amino]-3-(3-thieno[2,3-d]isoxazol-3-ylphenoxy)-, monohydrochloride (9CI) (CA INDEX NAME)



• HCl


RN 110894-64-9 CAPLUS  
CN 2-Propanol, 1-[[1-methylethyl]amino]-3-(4-thieno[2,3-d]isoxazol-3-ylphenoxy)- (9CI) (CA INDEX NAME)




RN 110894-65-0 CAPLUS  
CN 2-Propanol, 1-[[1-methylethyl]amino]-3-(4-thieno[2,3-d]isoxazol-3-ylphenoxy)-, (2Z)-2-butanedioate (1:1) (salt) (9CI) (CA INDEX NAME)

CM 1

L4 ANSWER 3 OF 3 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)




RN 110916-52-4 CAPLUS  
CN 2-Propanol, 1-[[2-(1H-indol-3-yl)ethyl]amino]-3-(2-thieno[2,3-d]isoxazol-3-ylphenoxy)- (9CI) (CA INDEX NAME)



L4 ANSWER 3 OF 3 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)


CRN 110894-64-9  
CMF C17 H20 N2 O3 S




CM 2

CRN 110-16-7  
CMF C4 H4 O4

Double bond geometry as shown.



RN 110894-66-1 CAPLUS  
CN 2-Propanol, 1-[[1,1-dimethylethyl]amino]-3-(4-thieno[2,3-d]isoxazol-3-ylphenoxy)- (9CI) (CA INDEX NAME)



RN 110894-76-3 CAPLUS  
CN 2-Propanol, 1-[[2-(2,3-dihydro-1,4-benzodioxin-2-yl)methyl]amino]-3-(2-thieno[2,3-d]isoxazol-3-ylphenoxy)- (9CI) (CA INDEX NAME)

10/088369

=> file caold

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	16.17	193.72
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE ENTRY	TOTAL SESSION
CA SUBSCRIBER PRICE	-2.19	-2.19

FILE 'CAOLD' ENTERED AT 17:37:16 ON 08 FEB 2005  
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.  
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.  
COPYRIGHT (C) 2005 AMERICAN CHEMICAL SOCIETY (ACS)

FILE COVERS 1907-1966

FILE LAST UPDATED: 01 May 1997 (19970501/UP)

This file contains CAS Registry Numbers for easy and accurate substance identification. Title keywords, authors, patent assignees, and patent information, e.g., patent numbers, are now searchable from 1907-1966. TIFF images of CA abstracts printed between 1907-1966 are available in the PAGE display formats.

This file supports REGISTRY for direct browsing and searching of all substance data from the REGISTRY file. Enter HELP FIRST for more information.

=> d his

(FILE 'HOME' ENTERED AT 17:32:49 ON 08 FEB 2005)

FILE 'REGISTRY' ENTERED AT 17:32:54 ON 08 FEB 2005

L1 STRUCTURE UPLOADED  
L2 8 S L1  
L3 211 S L1 SSS FULL

FILE 'CAPLUS' ENTERED AT 17:35:15 ON 08 FEB 2005

L4 3 S L3

FILE 'CAOLD' ENTERED AT 17:37:16 ON 08 FEB 2005

=> s l3

L5 0 L3

=> log h

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	0.43	194.15
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE ENTRY	TOTAL SESSION

10/088369

CA SUBSCRIBER PRICE

0.00

-2.19

SESSION WILL BE HELD FOR 60 MINUTES  
STN INTERNATIONAL SESSION SUSPENDED AT 17:37:46 ON 08 FEB 2005